
SRTTrain
Release 0.0.0

ryanking13

Sep 02, 2023

CONTENTS

1	Overview	1
2	Quickstart	3
3	Index	5
	Index	11

**CHAPTER
ONE**

OVERVIEW

SRTrain is a python wrapper of SRT(Super Rapid Train: <https://etk.srail.kr/>).

With SRTrain, you **can**:

- Search SRT train schedules.
- Reserve SRT trains.
- Find your reservations/tickets information.
- Cancel reservations/tickets.

while you **can't**:

- Pay for a ticket.
- Search or reserve non-SRT trains (KTX, ITX, ...) (use [korail2](#) instead)

This project was inspired from [korail2](#) of [carpedm20](#).

CHAPTER
TWO

QUICKSTART

```
pip install SRTrain
```

```
>>> from SRT import SRT
>>> srt = SRT("010-1234-xxxx", YOUR_PASSWORD)

>>> dep = ''
>>> arr = ''
>>> date = '20190930'
>>> time = '144000'
>>> trains = srt.search_train(dep, arr, date, time)
>>> trains
# [[SRT] 09 30, ~(15:00~17:34) , ,
# [SRT] 09 30, ~(15:30~18:06) , ,
# [SRT] 09 30, ~(16:00~18:24) , ,
# [SRT] 09 30, ~(16:25~18:45) , , ...]

>>> reservation = srt.reserve(trains[1])
>>> reservation
# [SRT] 09 30, ~(15:30~18:06) 53700(1), 09 20 23:38
```


3.1 Installation

Python Support: SRTrain requires **Python version >= 3.6**

Install SRTrain with **pip**:

```
pip install SRTrain
```

3.2 SRT Reference

```
class SRT.SRT(srt_id: str, srt_pw: str, auto_login: bool = True, verbose: bool = False)
```

SRT

Parameters

- **srt_id (str)** – SRT (, ,)
- **srt_pw (str)** – SRT
- **auto_login (bool)** – `login()`
- **verbose (bool)** –

```
>>> srt = SRT("1234567890", YOUR_PASSWORD) # with membership number
>>> srt = SRT("def6488@gmail.com", YOUR_PASSWORD) # with email
>>> srt = SRT("010-1234-xxxx", YOUR_PASSWORD) # with phone number
```

```
login(srt_id: str | None = None, srt_pw: str | None = None)
```

SRT .

,

Parameters

- **srt_id (str, optional)** – SRT
- **srt_pwd (str, optional)** – SRT

Returns

Return type

bool

logout() → bool

SRT .

search_train(*dep: str, arr: str, date: str | None = None, time: str | None = None, time_limit: str | None = None, available_only: bool = True*) → list[SRT.train.SRTTrain]

SRT .

Parameters

- **dep (str)** –
- **arr (str)** –
- **date (str, optional)** – (yyyyMMdd) (default:)
- **time (str, optional)** – (hhmmss) (default: 0 0 0)
- **time_limit (str, optional)** – (hhmmss)
- **available_only (bool, optional)** – (default: True)

Returns

Return type

list[SRTTrain]

reserve(*train: SRTTrain, passengers: list[SRT.passenger.Passenger] | None = None, special_seat: SeatType = SeatType.GENERAL_FIRST, window_seat: bool | None = None*) → SRTReservation

```
>>> trains = srt.search_train("", "", "210101", "000000")
>>> srt.reserve(trains[0])
```

Parameters

- **train (SRTrain)** –
- **passengers (list[Passenger], optional)** – (default: 1)
- **special_seat (SeatType)** – / (default:)
- **window_seat (bool, optional)** –

Returns

Return type

SRTReservation

get_reservations(*paid_only: bool = False*) → list[SRT.reservation.SRTReservation]

Parameters

- **paid_only (bool)** –

Returns

Return type

list[SRTReservation]

ticket_info(*reservation: SRTReservation | int*) → list[SRT.reservation.SRTTicket]

```
>>> reservations = srt.get_reservations()
>>> reservations
# [[SRT] 09 30, ~(15:30~18:06) 130700(3), 09 19 19:11]
>>> reservations[0].tickets
# [18 9C () / [52300(600 )],
# 18 10C () / [52300(600 )],
# 18 10D () 4~6 [26100(26800 )]]
```

Parameters

reservation (SRTReservation or int) –

Returns

list[SRTTicket]

cancel(*reservation: SRTReservation | int*) → bool

```
>>> reservation = srt.reserve(train)
>>> srt.cancel(reservation)
>>> reservations = srt.get_reservations()
>>> srt.cancel(reservations[0])
```

Parameters

reservation (SRTReservation or int) –

Returns

Return type

bool

3.3 Advanced Usages

SRT, .

```
>>> from SRT import SRT, SeatType
>>> srt = SRT('your-id', 'your-password')
>>> trains = srt.search_train('', '', '20221122', '000000')
```

3.3.1

WARNING:

Highly inspired by [@dotaitch](#).

) 2, 1

```
>>> from SRT.passenger import Adult, Child
>>> srt.reserve(trains[0], passengers=[Adult(), Adult(), Child()])
```

- Adult: /
- Child:
- Senior:
- Disability1To3: 1~3
- Disability4To6: 4~6

3.3.2 /

)

```
>>> from SRT import SeatType
>>> srt.reserve(self, trains[0], special_seat=SeatType.GENERAL_FIRST)
```

- SeatType.GENERAL_FIRST :
- SeatType.GENERAL_ONLY :
- SeatType.SPECIAL_FIRST :
- SeatType.SPECIAL_ONLY :

3.4 Contributing

You can contribute to SRTrain by:

- **Reporting bugs:** please report when bug occurred through [github issue](#).
- **Fixing bugs:** when you fixes a bug, please run tests before submitting a PR.
- **Enhancing documentations:** SRTrain uses Sphinx + Markdown for documentation.
- **Adding/Proposing new features**

3.4.1 How to run tests

```
export SRT_USERNAME=<YOUR_SRT_USERNAME>
export SRT_PASSWORD=<YOUR_SRT_PASSWORD>

# For Windows
# set SRT_USERNAME=<YOUR_SRT_USERNAME>
# set SRT_PASSWORD=<YOUR_SRT_PASSWORD>

pip install -r requirements/test.txt
pip install -r requirements.txt

black SRT
pytest SRT -v -x

# For full test
# Warning: /
pytest SRT -v -x --full
```

3.4.2 How to build the documentation

```
pip install requirements/docs.txt
cd docs/
make html
```

3.5 Changelog

3.5.1 Unreleased

3.5.2 v2.1.0 (2023/08/15)

- SRT . (#243)

3.5.3 v2.0.8 (2023/08/02)

- search_train() . (#238)
- Public API static typing (#234)

3.5.4 v2.0.7 (2023/04/05)

- get_reservations() payed_only (#228)

3.5.5 v2.0.6 (2023/02/23)

- (#221)

3.5.6 v2.0.5 (2022/11/24)

- SRT (#201)

3.5.7 v2.0.4 (2022/10/31)

- SRT (#193)

3.5.8 v2.0.3 (2022/06/11)

- search_train() time_limit parameter (#130)
- (#166)

3.5.9 v2.0.2 (2021/06/28)

-
- PEP517(pyproject.toml)
- PyPI

3.5.10 v2.0.1 (2021/04/07)

- SRT
- srt-reserve

3.5.11 v2.0.0 (2021/01/22)

- SRT API URL
- , ,

3.5.12 v1.0.2 (2019/12/24)

- /
- CI CircleCI Github Actions

3.5.13 v1.0.0 (2019/09/13)

- SRT NEO API (#1)

3.5.14 v0.1.5 (2019/02/15)

-

3.5.15 v0.1.3 (2019/02/15)

- search_train()

INDEX

C

`cancel()` (*SRT.SRT method*), 7

G

`get_reservations()` (*SRT.SRT method*), 6

L

`login()` (*SRT.SRT method*), 5

`logout()` (*SRT.SRT method*), 5

R

`reserve()` (*SRT.SRT method*), 6

S

`search_train()` (*SRT.SRT method*), 6

`SRT` (*class in SRT*), 5

T

`ticket_info()` (*SRT.SRT method*), 6